Montana Board of Oil and Gas Conservation Environmental Assessment

Operator: Continental Resources, Inc.
Well Name/Number: Denman 1-7H
Location: SW SW Section 7 T26N R54E
County: Richland , MT; Field (or Wildcat) W/C Bakken Horizontal)
· · · · · · · · · · · · · · · · · · ·
Air Quality
(possible concerns)
Long drilling time: No, 30 to 40 days drilling time.
Unusually deep drilling (high horsepower rig): No, triple derrick drilling rig, 900-1000 HP
to drill a single lateral Bakken Formation well to 19,174'MD/9422' TVD.
Possible H2S gas production: Slight chance of H2S gas production.
In/near Class I air quality area: No Class I air quality area.
Air quality permit for flaring/venting (if productive): Yes, DEQ air quality permit required
<u>under 75-2-211.</u>
Mitigation:
_X Air quality permit (AQB review)
Gas plants/pipelines available for sour gas
Special equipment/procedures requirements
Other:
Comments: No special concerns – using triple rig to drill a single lateral Bakken
Formation well to 19,174'MD/9422' TVD.
Water Quality
(possible concerns)
Salt/oil based mud: Yes, oil based invert drilling mud system will be used on the
intermediate string hole and saltwater for the horizontal lateral hole. Freshwater and
freshwater mud system will be used on the surface hole.
High water table: No high water table anticipated.
Surface drainage leads to live water: No, closest drainage is Hanson Coulee, about 3/8
of a mile to the south of this location. Within Hanson Coulee are ponds, about 1 mile to
the west southwest from this location.
Water well contamination: No, closest water wells are about 3/4 of a mile to the west
and all other wells are 1 mile and further away from this location. Deepest well nearby is
320' deep and the shallowest well is 40'. Surface hole will be drilled with freshwater and
freshwater drilling fluids to 1800'. Surface casing will be set and cemented from 1800' to
Surface.
Porous/permeable soils: No, sandy clay soils.
Class I stream drainage: No Class I stream drainages in the area of review.
Mitigation:
X Lined reserve pit
X Adequate surface casing
Berms/dykes, re-routed drainage
Closed mud system Off site disposal of colide/liquids (in approved facility)
Off-site disposal of solids/liquids (in approved facility) Other:
Comments: 1800' of surface casing cemented to surface adequate to protect

freshwater zones and to cover the Fox Hills Formation.

Soils/Vegetation/Land Use

(possible concerns)
Steam crossings: None anticipated, will utilize existing county road, #146.
High erosion potential: No, small cut, up to 4.8' and moderate fill, up to 10.2' required.
Loss of soil productivity: No, location will be restored after drilling, if nonproductive. If
productive unused portion of drillsite will be reclaimed.
Unusually large wellsite: No, 500'X270' location size required.
Damage to improvements: Slight, surface use is hay ground and grassland.
Conflict with existing land use/values: Slight
Mitigation ————
Avoid improvements (topographic tolerance)
Exception location requested
X Stockpile topsoil
Stream Crossing Permit (other agency review)
X Reclaim unused part of wellsite if productive
Special construction methods to enhance reclamation
Other
Comments: Will use existing county road, #146. A short access of about 767' will be
built into this location off the existing county road. Oil based invert drilling muds will be
recycled. Cuttings and mud solids will be buried in the lined pit. Completion fluids will
be trucked to a Class II disposal. No special concerns
Health Hazards/Noise
(possible concerns)
Proximity to public facilities/residences: Closest residences are about 1.125 miles to the
Proximity to public facilities/residences: <u>Closest residences are about 1.125 miles to the northwest and 1.25 miles to the northeast from this location.</u>
Proximity to public facilities/residences: Closest residences are about 1.125 miles to the northwest and 1.25 miles to the northeast from this location. Possibility of H2S: Slight chance H2S.
Proximity to public facilities/residences: Closest residences are about 1.125 miles to the northwest and 1.25 miles to the northeast from this location. Possibility of H2S: Slight chance H2S. Size of rig/length of drilling time: Triple drilling rig/short 30 to 40 days drilling time.
Proximity to public facilities/residences: Closest residences are about 1.125 miles to the northwest and 1.25 miles to the northeast from this location. Possibility of H2S: Slight chance H2S. Size of rig/length of drilling time: Triple drilling rig/short 30 to 40 days drilling time. Mitigation:
Proximity to public facilities/residences: Closest residences are about 1.125 miles to the northwest and 1.25 miles to the northeast from this location. Possibility of H2S: Slight chance H2S. Size of rig/length of drilling time: Triple drilling rig/short 30 to 40 days drilling time. Mitigation: X Proper BOP equipment
Proximity to public facilities/residences: Closest residences are about 1.125 miles to the northwest and 1.25 miles to the northeast from this location. Possibility of H2S: Slight chance H2S. Size of rig/length of drilling time: Triple drilling rig/short 30 to 40 days drilling time. Mitigation: _X_Proper BOP equipment _ Topographic sound barriers
Proximity to public facilities/residences: Closest residences are about 1.125 miles to the northwest and 1.25 miles to the northeast from this location. Possibility of H2S: Slight chance H2S. Size of rig/length of drilling time: Triple drilling rig/short 30 to 40 days drilling time. Mitigation: X_Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan
Proximity to public facilities/residences: Closest residences are about 1.125 miles to the northwest and 1.25 miles to the northeast from this location. Possibility of H2S: Slight chance H2S. Size of rig/length of drilling time: Triple drilling rig/short 30 to 40 days drilling time. Mitigation: _X_Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements
Proximity to public facilities/residences: Closest residences are about 1.125 miles to the northwest and 1.25 miles to the northeast from this location. Possibility of H2S: Slight chance H2S. Size of rig/length of drilling time: Triple drilling rig/short 30 to 40 days drilling time. Mitigation: _X_Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other:
Proximity to public facilities/residences: Closest residences are about 1.125 miles to the northwest and 1.25 miles to the northeast from this location. Possibility of H2S: Slight chance H2S. Size of rig/length of drilling time: Triple drilling rig/short 30 to 40 days drilling time. Mitigation: X_Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other: Comments: Adequate surface casing and operational BOP should mitigate all
Proximity to public facilities/residences: Closest residences are about 1.125 miles to the northwest and 1.25 miles to the northeast from this location. Possibility of H2S: Slight chance H2S. Size of rig/length of drilling time: Triple drilling rig/short 30 to 40 days drilling time. Mitigation: _X_Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other:
Proximity to public facilities/residences: Closest residences are about 1.125 miles to the northwest and 1.25 miles to the northeast from this location. Possibility of H2S: Slight chance H2S. Size of rig/length of drilling time: Triple drilling rig/short 30 to 40 days drilling time. Mitigation:
Proximity to public facilities/residences: Closest residences are about 1.125 miles to the northwest and 1.25 miles to the northeast from this location. Possibility of H2S: Slight chance H2S. Size of rig/length of drilling time: Triple drilling rig/short 30 to 40 days drilling time. Mitigation: _X_Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other: Comments: Adequate surface casing and operational BOP should mitigate all problems. No concerns. Wildlife/recreation
Proximity to public facilities/residences: Closest residences are about 1.125 miles to the northwest and 1.25 miles to the northeast from this location. Possibility of H2S: Slight chance H2S. Size of rig/length of drilling time: Triple drilling rig/short 30 to 40 days drilling time. Mitigation: X_Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other: Comments: Adequate surface casing and operational BOP should mitigate all problems. No concerns. Wildlife/recreation (possible concerns)
Proximity to public facilities/residences: Closest residences are about 1.125 miles to the northwest and 1.25 miles to the northeast from this location. Possibility of H2S: Slight chance H2S. Size of rig/length of drilling time: Triple drilling rig/short 30 to 40 days drilling time. Mitigation: X_Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other: Comments: Adequate surface casing and operational BOP should mitigate all problems. No concerns. Wildlife/recreation (possible concerns) Proximity to sensitive wildlife areas (DFWP identified): None identified.
Proximity to public facilities/residences: Closest residences are about 1.125 miles to the northwest and 1.25 miles to the northeast from this location. Possibility of H2S: Slight chance H2S. Size of rig/length of drilling time: Triple drilling rig/short 30 to 40 days drilling time. Mitigation: X_Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other: Comments: Adequate surface casing and operational BOP should mitigate all problems. No concerns. Wildlife/recreation (possible concerns) Proximity to sensitive wildlife areas (DFWP identified): None identified. Proximity to recreation sites: None identified.
Proximity to public facilities/residences: Closest residences are about 1.125 miles to the northwest and 1.25 miles to the northeast from this location. Possibility of H2S: Slight chance H2S. Size of rig/length of drilling time: Triple drilling rig/short 30 to 40 days drilling time. Mitigation: _X_Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other: Comments: Adequate surface casing and operational BOP should mitigate all problems. No concerns. Wildlife/recreation (possible concerns) Proximity to sensitive wildlife areas (DFWP identified): None identified. Proximity to recreation sites: None identified. Creation of new access to wildlife habitat: No
Proximity to public facilities/residences: Closest residences are about 1.125 miles to the northwest and 1.25 miles to the northeast from this location. Possibility of H2S: Slight chance H2S. Size of rig/length of drilling time: Triple drilling rig/short 30 to 40 days drilling time. Mitigation: X_Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other: Comments: Adequate surface casing and operational BOP should mitigate all problems. No concerns. Wildlife/recreation (possible concerns) Proximity to sensitive wildlife areas (DFWP identified): None identified. Proximity to recreation sites: None identified. Creation of new access to wildlife habitat: No Conflict with game range/refuge management: No
Proximity to public facilities/residences: Closest residences are about 1.125 miles to the northwest and 1.25 miles to the northeast from this location. Possibility of H2S: Slight chance H2S. Size of rig/length of drilling time: Triple drilling rig/short 30 to 40 days drilling time. Mitigation: X_Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other: Comments: _Adequate surface casing and operational BOP should mitigate all problems. No concerns. Wildlife/recreation (possible concerns) Proximity to sensitive wildlife areas (DFWP identified): None identified. Proximity to recreation sites: _None identified. Creation of new access to wildlife habitat: _No Conflict with game range/refuge management: _No Threatened or endangered Species: _Species identified as threatened by the USFWS
Proximity to public facilities/residences: Closest residences are about 1.125 miles to the northwest and 1.25 miles to the northeast from this location. Possibility of H2S: Slight chance H2S. Size of rig/length of drilling time: Triple drilling rig/short 30 to 40 days drilling time. Mitigation: X_Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other: Comments: Adequate surface casing and operational BOP should mitigate all problems. No concerns. Wildlife/recreation (possible concerns) Proximity to sensitive wildlife areas (DFWP identified): None identified. Proximity to recreation sites: None identified. Creation of new access to wildlife habitat: No Conflict with game range/refuge management: No

tracker website for this Township and Range lists only species of concern as the Eastern Red Bat. Mitigation: ___ Avoidance (topographic tolerance/exception) __ Other agency review (DFWP, federal agencies, DSL) __ Screening/fencing of pits, drillsite Other: Comments: Private surface lands. Eastern Red Bat inhabits Riparian Forest areas. This area is grassland. No concerns. Historical/Cultural/Paleontological (possible concerns) Proximity to known sites None identified Mitigation __ avoidance (topographic tolerance, location exception) __ other agency review (SHPO, DSL, federal agencies) Other: Comments: On private surface lands. No concerns. Social/Economic (possible concerns) __ Substantial effect on tax base __ Create demand for new governmental services Population increase or relocation Comments: No concerns Remarks or Special Concerns for this site Well is a single lateral Bakken Formation 19,174'MD/9422' TVD. **Summary: Evaluation of Impacts and Cumulative effects** No long term impact expected, some short term impacts will occur. I conclude that the approval of the subject Notice of Intent to Drill (does/does not) constitute a major action of state government significantly affecting the quality of the human environment, and (does/does not) require the preparation of an environmental impact statement. Prepared by (BOGC):_/s/Steven Sasaki

(title:) Chief Field Inspector Date: March 24, 2011

Other Persons Contacted:
Montana Bureau of Mines and Geology, GWIC website
(Name and Agency) _Richland County water wells
(subject discussed) _March 24, 2011
(date)
US Fish and Wildlife, Region 6 website (Name and Agency) ENDANGERED, THREATENED, PROPOSED AND CANDIDATE SPECIES MONTANA COUNTIES, Richland County (subject discussed)
March 24, 2011 (date)
Montana Natural Heritage Program Website (FWP) (Name and Agency) Heritage State Rank= S1, S2, S3, T26N R54E (subject discussed)
_March 24, 2011 (date)
If location was inspected before permit approval: Inspection date: Inspector:
Others present during inspection: